























- Methods in Natural Language Processing-CoNLL*, 2007.
- [9] R. Cyganiak, D. Reynolds, and J. Tennyson. The RDF Data Cube Vocabulary, 2014. <http://www.w3.org/TR/vocab-data-cube/>.
- [10] G. R. Doddington, A. Mitchell, M. A. Przybocki, L. A. Ramshaw, S. Strassel, and R. M. Weischedel. The automatic content extraction (ace) program-tasks, data, and evaluation. In *LREC*, 2004.
- [11] M. V. Erp, G. Rizzo, and R. Troncy. Learning with the web: Spotting named entities on the intersection of NERD and machine learning. In *Proceedings of the Making Sense of Microposts (#MSM2013) Concept Extraction Challenge*, 2013.
- [12] C. Fellbaum. *WordNet: An Electronic Lexical Database*. MIT Press, 1998.
- [13] P. Ferragina and U. Scaiella. Fast and Accurate Annotation of Short Texts with Wikipedia Pages. *IEEE software*, 2012.
- [14] Y. Gil. Semantic challenges in getting work done, 2014. Invited Talk at ISWC.
- [15] S. Hellmann, J. Lehmann, S. Auer, and M. Brümmer. Integrating NLP using Linked Data. In *12th International Semantic Web Conference*, 2013.
- [16] J. Hoffart, S. Seufert, D. B. Nguyen, M. Theobald, and G. Weikum. KORE: keyphrase overlap relatedness for entity disambiguation. In *Proceedings of CIKM*, 2012.
- [17] J. Hoffart, M. A. Yosef, I. Bordino, H. Fürstenau, M. Pinkal, M. Spaniol, B. Taneva, S. Thater, and G. Weikum. Robust Disambiguation of Named Entities in Text. In *Conference on Empirical Methods in Natural Language Processing*, 2011.
- [18] P. Jermyn, M. Dixon, and B. J. Read. Preparing clean views of data for data mining. *ERCIM Work. on Database Res*, 1999.
- [19] A. Kilgariff. Senseval: An exercise in evaluating word sense disambiguation programs. *1st LREC*, 1998.
- [20] T. Lebo, S. Sahoo, D. McGuinness, K. Belhajjame, J. Cheney, D. Corsar, D. Garijo, S. Soiland-Reyes, S. Zednik, and J. Zhao. PROV-O: The PROV Ontology, 2013. <http://www.w3.org/TR/prov-o/>.
- [21] F. Maali, J. Erickson, and P. Archer. Data Catalog Vocabulary (DCAT), 2014. <http://www.w3.org/TR/vocab-dcat/>.
- [22] P. McNamee. Overview of the tac 2009 knowledge base population track. 2009.
- [23] M. McRoberts and V. Rodríguez-Doncel. Open Digital Rights Language (ODRL) Ontology, 2014. <http://www.w3.org/ns/odrl/2/>.
- [24] P. N. Mendes, M. Jakob, A. Garcia-Silva, and C. Bizer. DBpedia Spotlight: Shedding Light on the Web of Documents. In *7th International Conference on Semantic Systems (I-Semantics)*, 2011.
- [25] D. Milne and I. H. Witten. Learning to link with wikipedia. In *17th ACM CIKM*, 2008.
- [26] A. Moro, F. Ceconi, and R. Navigli. Multilingual word sense disambiguation and entity linking for everybody. In *Proc. of ISWC (P&D)*, 2014.
- [27] A. Moro, A. Raganato, and R. Navigli. Entity Linking meets Word Sense Disambiguation: A Unified Approach. *TACL*, 2014.
- [28] R. Navigli, D. Jurgens, and D. Vannella. SemEval-2013 Task 12: Multilingual Word Sense Disambiguation. In *Proceedings of SemEval-2013*, 2013.
- [29] R. Navigli, K. C. Litkowski, and O. Hargraves. SemEval-2007 Task 07: Coarse-Grained English All-Words Task. In *Proc. of SemEval-2007*, 2007.
- [30] R. Navigli and S. P. Ponzetto. BabelNet: The automatic construction, evaluation and application of a wide-coverage multilingual semantic network. *Artificial Intelligence*, 2012.
- [31] R. D. Peng. Reproducible research in computational science. *Science (New York, Ny)*, 2011.
- [32] F. Piccinno and P. Ferragina. From TagME to WAT: a new entity annotator. In *Proceedings of the first international workshop on Entity recognition & disambiguation*, 2014.
- [33] S. S. Pradhan, E. Loper, D. Dligach, and M. Palmer. SemEval-2007 task 17: English lexical sample, SRL and all words. In *Proc. of SemEval-2007*.
- [34] L. Ratinov, D. Roth, D. Downey, and M. Anderson. Local and global algorithms for disambiguation to wikipedia. In *ACL*, 2011.
- [35] G. Rizzo, M. van Erp, and R. Troncy. Benchmarking the extraction and disambiguation of named entities on the semantic web. In *Proceedings of the 9th International Conference on Language Resources and Evaluation*, 2014.
- [36] M. Röder, R. Usbeck, S. Hellmann, D. Gerber, and A. Both. N3 - a collection of datasets for named entity recognition and disambiguation in the nlp interchange format. In *9th LREC*, 2014.
- [37] M. Rowe, M. Stankovic, and A.-S. Dadzie, editors. *Proceedings, 4th Workshop on Making Sense of Microposts (#Microposts2014): Big things come in small packages, Seoul, Korea, 7th April 2014*, 2014.
- [38] B. Snyder and M. Palmer. The English all-words task. In *Proc. of Senseval-3*, pages 41–43, 2004.
- [39] R. Speck and A.-C. N. Ngomo. Ensemble learning for named entity recognition. In *The Semantic Web – ISWC 2014*. 2014.
- [40] N. Steinmetz, M. Knuth, and H. Sack. Statistical analyses of named entity disambiguation benchmarks. In *1st Workshop on NLP&DBpedia 2013*, 2013.
- [41] N. Steinmetz and H. Sack. Semantic multimedia information retrieval based on contextual descriptions. In P. Cimiano, O. Corcho, V. Presutti, L. Hollink, and S. Rudolph, editors, *The Semantic Web: Semantics and Big Data*. 2013.
- [42] B. M. Sundheim. Tipster/muc-5: Information extraction system evaluation. In *Proceedings of the 5th Conference on Message Understanding*, 1993.
- [43] E. F. Tjong Kim Sang and F. De Meulder. Introduction to the CoNLL-2003 Shared Task: Language-Independent Named Entity Recognition. In *Proceedings of CoNLL-2003*.
- [44] R. Usbeck, A.-C. Ngonga Ngomo, M. Röder, D. Gerber, S. Coelho, S. Auer, and A. Both. Agdistis - graph-based disambiguation of named entities using linked data. In *The Semantic Web – ISWC 2014*. 2014.